## This Page Is Inserted by IFW Operations and is not a part of the Official Record

## **BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

## IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.







FIG. 1



**FIG. 2** 



FIG



**FIG. 4** 




FIG.




FIG.




FIG.




FIG. 8




FIG.





FIG. 10






FIG. 11a FIG. 11b

FIG. 11c FIG. 11d

Experimental Conditions	Cells Attached
Control + cysteine	<b>公                                    </b>
0.2mg/ml P.g. lysate + cysteine	<b>소 소 소</b>
0.4mg/ml P.g. lysate + cysteine	None attached
0.4mg/ml P.g. lysate/heated + cysteine	ななななな
0.4mg/ml P.g. lysate + TLCK + cysteine	なななな
0.4mg/ml P.g. lysate + PMSF + cysteine	公
0.4mg/ml P.g. lysate + PIC + cysteine	4
P.gingivalis + cysteine	None attached
P.gingivalis + TLCK + cysteine	公公
E.coli lysate + cysteine	ななななな

FIG. 13a



FIG. 13b



FIG. 13c



FIG. 13d




FIG. 13e




FIG. 14a




FIG. 14b




FIG. 14c



FIG.14d

